

pecaplasty®

Percutaneous Bunion Correction

Forefoot Surgery



Brochure

–
Pecaplasty® targeting guide




- **Easy positioning** on the foot
- **Controlled translation** of the metatarsal head
- **Accurate placement** of the K-Wires

 **novastep®**
Your foot & ankle company


pecaplasty[®]

Percutaneous Bunion Correction

The Pecaplasty[®] system allows for simple, precise and reproducible correction of Hallux Valgus in percutaneous surgery. With its easy positioning on the foot, the Pecaplasty[®] Targeting Guide allows controlled translation of the metatarsal head and accurate K-wires placement.




Key features



PATENT PENDING


Guided & reproducible procedure

1 Easy positioning on the foot




POSITION the guide by inserting the paddle underneath the medial capsule through initial incision, after a transverse osteotomy.

2 Controlled translation of metatarsal head



TRANSLATE the metatarsal head using the translation dial.


3 Accurate placement of K-Wires



ADJUST the arc around its center of rotation to allow proper placement of the k-wires.

- Insertion point must be as proximal as possible to ensure bicortical fixation.
- Aiming point is fixed, always 14 mm (1) from the paddle.

Pecaplasty® targeting guide



Reference	Designation	Qty	
XMS01038-1	Targeting guide	1	
XMS01038-2	Wire handle for targeting guide	1	
SKW06002	Traction wire Ø 2.5 lg 128 - Sterile	5	
XMS01038-3	Peca® Ø 3 - K-wire sleeve for targeting guide	1	
XMS01038-4	Peca® Ø 4 - K-wire sleeve for targeting guide	2	

Please Note:

Carefully read the enclosed Instructions For Use (IFU) and all packaging label information. Devices: Implants: Class IIb-CE1639 / Instruments: Class I / Class IIa-CE1639.

Novastep:

2, Allée Jacques Frimot - 35000 RENNES - France
 Tel: + 33 (0) 2 99 33 86 50 / Fax: + 33 (0) 9 70 29 18 95
 contact@novastep-ortho.com / www.int.novastep.life

Reference: PECA-Tar-L-Ed2-10-23-EN